

APPENDIX 1. NOTIFICATION TEMPLATE

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Este informe contiene información muy importante sobre su agua potable.
Por favor hable con alguien que lo pueda traducir.

Earlimart Public Utility District Has levels of 1,2,3-TCP Above Drinking Water Standards

Our water system recently failed a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we are doing to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results we received for the 1st Quarter 2025 show that our system exceeds the standard, or maximum contaminant level (MCL), for 1,2,3-trichloropropane (1,2,3-TCP). The standard for 1,2,3-TCP is 0.005 ug/L (micrograms per liter). The average level of 1,2,3-TCP over the last year was 0.0058 ug/L.

What should I do?

- **You do not need to use an alternative (e.g. , bottled) water supply.**
- This is not an immediate risk. If it had been, you would have been notified immediately. However, *some people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may have an increased risk of getting cancer.*
- If you have other health issues concerning the consumption of this water, you may wish to consult your doctor.

What happened? What is being done?

What happened? What is being done?

Well B-Clay Street produces water with 1,2,3-TCP above the maximum contaminant level. Our engineering firm has submitted a Funding Application to the State for a replacement well.

[Describe corrective action]

Until our Water System receives funding for the proposed project, we are limiting the use of Well B-Clay Street.

Our compliance deadline is September 28, 2023.

For more information, please contact:
Rachel Garcia, General Manager
(661) 849-2663
P.O. Box 10148, Earlimart, CA 93219

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- **SCHOOLS:** Must notify school employees, students, and parents (if the students are minors).
- **RESIDENTIAL RENTAL PROPERTY OWNERS OR MANAGERS** (including nursing homes and care facilities): Must notify tenants.
- **BUSINESS PROPERTY OWNERS, MANAGERS, OR OPERATORS:** Must notify employees of businesses located on the property.

This notice is being sent to you by Earlimart Public Utility District in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.

State Water System ID: 5410021.

Date distributed 4/01/2025

APPENDIX 1. NOTIFICATION TEMPLATE

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Este informe contiene información muy importante sobre su agua potable.
Por favor hable con alguien que lo pueda traducir.

Earlimart Public Utility District Has levels of 1,2,3-TCP Above Drinking Water Standards

Our water system recently failed a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we are doing to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results we received for the 2nd Quarter 2025 show that our system exceeds the standard, or maximum contaminant level (MCL), for 1,2,3-trichloropropane (1,2,3-TCP). The standard for 1,2,3-TCP is 0.005 ug/L (micrograms per liter). The average level of 1,2,3-TCP over the last year was 0.0058 ug/L.

What should I do?

- You **do not** need to use an alternative (e.g. , bottled) water supply.
- This is not an immediate risk. If it had been, you would have been notified immediately. However, *some people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may have an increased risk of getting cancer.*
- If you have other health issues concerning the consumption of this water, you may wish to consult your doctor.

What happened? What is being done?

What happened? What is being done?

Well B-Clay Street produces water with 1,2,3-TCP above the maximum contaminant level. Our engineering firm has submitted a Funding Application to the State for a replacement well.

[Describe corrective action]

Until our Water System receives funding for the proposed project, we are limiting the use of Well B-Clay Street.

Our compliance deadline is September 28, 2023.

For more information, please contact:

Rachel Garcia, General Manager

(661) 849-2663

P.O. Box 10148, Earlimart, CA 93219

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- SCHOOLS: Must notify school employees, students, and parents (if the students are minors).
- RESIDENTIAL RENTAL PROPERTY OWNERS OR MANAGERS (including nursing homes and care facilities): Must notify tenants.
- BUSINESS PROPERTY OWNERS, MANAGERS, OR OPERATORS: Must notify employees of businesses located on the property.

This notice is being sent to you by Earlimart Public Utility District in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.

State Water System ID: 5410021.

Date distributed 7/01/2025

INFORMACIÓN IMPORTANTE SOBRE SU AGUA POTABLE

Este aviso contiene información muy importante sobre su agua potable, por favor léalo bien

Earlimart Public Utility District tiene niveles de 1,2,3-Tricloropropano (1,2,3- TCP) en exceso del estándar para agua potable

Recientemente, nuestro sistema de agua excedió un estándar de contaminante para agua potable. Aunque esto no es una emergencia, como nuestros clientes, ustedes tienen el derecho a saber lo que deberían hacer, lo que pasó, y lo que estamos haciendo para corregir esta situación.

Hacemos monitoreo rutinario para detectar contaminantes en el agua potable. Los resultados de los análisis del agua que recibimos el 2nd Quarter 2025 muestran que el nivel de 1,2,3-Tricloropropano (1,2,3- TCP) es de 0.0000058 nanograms por litro. Este nivel excede el estándar o MCL (Nivel Máximo de Contaminantes), el cual es 0.000005 miligramos por litro (5 nanograms por litro, o 5 partes por trillón estadounidense).

¿Qué es lo que debo hacer?

- **Usted no necesita usar una fuente alternativa de agua (por ejemplo, agua embotellada)**
- Esto no es una emergencia. Si lo hubiera sido, le habrían notificado de inmediato. No obstante, *algunas personas que por muchos años beben agua que contiene 1,2,3-TCP en exceso del nivel máximo establecido para contaminantes, pueden tener un mayor riesgo de contraer cáncer.*
- Si tiene otros problemas de salud relacionados al consumo de esta agua, debería consultar a su médico.

¿Qué pasó? ¿Qué se está haciendo al respecto?

Well B-Clay Street produce agua con 123 TCP por encima del nivel máximo de contaminantes. Nuestra firma de ingeniería ha presentado una solicitud de financiamiento al estado para un pozo de reemplazo.

(Describe corrective action). Anticipamos arreglar el problema dentro de (estimated time frame). Hasta que nuestro sistema de agua reciba fondos para el proyecto propuesto, estamos limitando el uso de pozo B-Clay Street Well.

Para más información, puede contactar a Rachel Garcia, General Manager al (661) 849-2663 o en P.O. Box 10148, Earlimart, CA 93219.

Por favor comparta esta información con todas las demás personas que tomen de esta agua, especialmente aquellos que no hayan recibido este aviso directamente (por ejemplo, las personas en apartamentos, asilos, escuelas, y negocios). Puede hacerlo poniendo este aviso en un lugar público o distribuyendo copias en persona o por correo.

Requisitos de Notificación Secundaria

Al recibir la notificación de alguien que opere un sistema de agua público, se tiene que dar la siguiente notificación dentro de 10 días conforme a la Sección 116450(g) del Código de Salud y Seguridad:

- ESCUELAS: Tienen que notificar a los empleados de la escuela, estudiantes, y a los padres (si los estudiantes son menores).
- DUEÑOS O GERENTES DE PROPIEDAD PARA ALQUILER RESIDENCIAL (incluyendo asilos e instituciones de cuidado): Tienen que notificar a sus inquilinos.
- DUEÑOS DE PROPIEDAD DE NEGOCIOS, GERENTES, U OPERADORES: Tienen que notificar a los empleados de los negocios situados en la propiedad.

Este aviso es enviado por Earlimart Public Utility District:

Núm. de Identificación Estatal del Sistema de Agua: 5410021

Fecha de distribución: 07/01/2025

APPENDIX 1. NOTIFICATION TEMPLATE

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Este informe contiene información muy importante sobre su agua potable.
Por favor hable con alguien que lo pueda traducir.

Earlimart Public Utility District Has levels of 1,2,3-TCP Above Drinking Water Standards

Our water system recently failed a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we are doing to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results we received for the 3rd Quarter 2025 show that our system exceeds the standard, or maximum contaminant level (MCL), for 1,2,3-trichloropropane (1,2,3-TCP). The standard for 1,2,3-TCP is 0.005 ug/L (micrograms per liter). The average level of 1,2,3-TCP over the last year was 0.0058 ug/L.

What should I do?

- **You do not need to use an alternative (e.g. , bottled) water supply.**
- This is not an immediate risk. If it had been, you would have been notified immediately. However, *some people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may have an increased risk of getting cancer.*
- If you have other health issues concerning the consumption of this water, you may wish to consult your doctor.

What happened? What is being done?

What happened? What is being done?

Well B-Clay Street produces water with 1,2,3-TCP above the maximum contaminant level. Our engineering firm has submitted a Funding Application to the State for a replacement well.

[Describe corrective action]

Until our Water System receives funding for the proposed project, we are limiting the use of Well B-Clay Street.

Our compliance deadline is April 1, 2027.

For more information, please contact:

Rachel Garcia, General Manager

(661) 849-2663

P.O. Box 10148, Earlimart, CA 93219

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- SCHOOLS: Must notify school employees, students, and parents (if the students are minors).
- RESIDENTIAL RENTAL PROPERTY OWNERS OR MANAGERS (including nursing homes and care facilities): Must notify tenants.
- BUSINESS PROPERTY OWNERS, MANAGERS, OR OPERATORS: Must notify employees of businesses located on the property.

This notice is being sent to you by Earlimart Public Utility District in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.

State Water System ID: 5410021.

Date distributed 10/01/2025

INFORMACIÓN IMPORTANTE SOBRE SU AGUA POTABLE

Este aviso contiene información muy importante sobre su agua potable, por favor léalo bien

Earlimart Public Utility District tiene niveles de 1,2,3-Tricloropropano (1,2,3- TCP) en exceso del estándar para agua potable

Recientemente, nuestro sistema de agua excedió un estándar de contaminante para agua potable. Aunque esto no es una emergencia, como nuestros clientes, ustedes tienen el derecho a saber lo que deberían hacer, lo que pasó, y lo que estamos haciendo para corregir esta situación.

Hacemos monitoreo rutinario para detectar contaminantes en el agua potable. Los resultados de los análisis del agua que recibimos el 3rd Quarter 2025 muestran que el nivel de 1,2,3-Tricloropropano (1,2,3- TCP) es de 0.0000058 nanograms por litro. Este nivel excede el estándar o MCL (Nivel Máximo de Contaminantes), el cual es 0.000005 miligramos por litro (5 nanograms por litro, o 5 partes por trillón estadounidense).

¿Qué es lo que debo hacer?

- **Usted no necesita usar una fuente alternativa de agua (por ejemplo, agua embotellada)**
- Esto no es una emergencia. Si lo hubiera sido, le habrían notificado de inmediato. No obstante, *algunas personas que por muchos años beben agua que contiene 1,2,3-TCP en exceso del nivel máximo establecido para contaminantes, pueden tener un mayor riesgo de contraer cáncer.*
- Si tiene otros problemas de salud relacionados al consumo de esta agua, debería consultar a su médico.

¿Qué pasó? ¿Qué se está haciendo al respecto?

Well B-Clay Street produce agua con 123 TCP por encima del nivel máximo de contaminantes. Nuestra firma de ingeniería ha presentado una solicitud de financiamiento al estado para un pozo de reemplazo.

(Describe corrective action). Anticipamos arreglar el problema dentro de (estimated time frame). Hasta que nuestro sistema de agua reciba fondos para el proyecto propuesto, estamos limitando el uso de pozo B-Clay Street Well.

Para más información, puede contactar a Rachel Garcia, General Manager al (661) 849-2663 o en P.O. Box 10148, Earlimart, CA 93219.

Por favor comparta esta información con todas las demás personas que tomen de esta agua, especialmente aquellos que no hayan recibido este aviso directamente (por ejemplo, las personas en apartamentos, asilos, escuelas, y negocios). Puede hacerlo poniendo este aviso en un lugar público o distribuyendo copias en persona o por correo.

Requisitos de Notificación Secundaria

Al recibir la notificación de alguien que opere un sistema de agua público, se tiene que dar la siguiente notificación dentro de 10 días conforme a la Sección 116450(g) del Código de Salud y Seguridad:

- ESCUELAS: Tienen que notificar a los empleados de la escuela, estudiantes, y a los padres (si los estudiantes son menores).
- DUEÑOS O GERENTES DE PROPIEDAD PARA ALQUILER RESIDENCIAL (incluyendo asilos e instituciones de cuidado): Tienen que notificar a sus inquilinos.
- DUEÑOS DE PROPIEDAD DE NEGOCIOS, GERENTES, U OPERADORES: Tienen que notificar a los empleados de los negocios situados en la propiedad.

Este aviso es enviado por Earlimart Public Utility District.

Núm. de Identificación Estatal del Sistema de Agua: 5410021

Fecha de distribución: 10/01/2025

APPENDIX 1. NOTIFICATION TEMPLATE

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Este informe contiene información muy importante sobre su agua potable.
Por favor hable con alguien que lo pueda traducir.

Earlimart Public Utility District Has levels of 1,2,3-TCP Above Drinking Water Standards

Our water system recently failed a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what you should do, what happened, and what we are doing to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results we received for the 4th Quarter 2025 show that our system exceeds the standard, or maximum contaminant level (MCL), for 1,2,3-trichloropropane (1,2,3-TCP). The standard for 1,2,3-TCP is 0.005 ug/L (micrograms per liter). The average level of 1,2,3-TCP over the last year was 0.0058 ug/L.

What should I do?

- **You do not need to use an alternative (e.g. , bottled) water supply.**
- This is not an immediate risk. If it had been, you would have been notified immediately. However, *some people who drink water containing 1,2,3-trichloropropane in excess of the MCL over many years may have an increased risk of getting cancer.*
- If you have other health issues concerning the consumption of this water, you may wish to consult your doctor.

What happened? What is being done?

What happened? What is being done?

Well B-Clay Street produces water with 1,2,3-TCP above the maximum contaminant level. Our engineering firm has submitted a Funding Application to the State for a replacement well.

[Describe corrective action]

Until our Water System receives funding for the proposed project, we are limiting the use of Well B-Clay Street.

Our compliance deadline is April 1, 2027.

For more information, please contact:
Rachel Garcia, General Manager
(661) 849-2663
P.O. Box 10148, Earlimart, CA 93219

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- SCHOOLS: Must notify school employees, students, and parents (if the students are minors).
- RESIDENTIAL RENTAL PROPERTY OWNERS OR MANAGERS (including nursing homes and care facilities): Must notify tenants.
- BUSINESS PROPERTY OWNERS, MANAGERS, OR OPERATORS: Must notify employees of businesses located on the property.

This notice is being sent to you by Earlimart Public Utility District in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.

State Water System ID: 5410021.

Date distributed 01/2/2025

INFORMACIÓN IMPORTANTE SOBRE SU AGUA POTABLE

Este aviso contiene información muy importante sobre su agua potable, por favor léalo bien

Earlimart Public Utility District tiene niveles de 1,2,3-Tricloropropano (1,2,3- TCP) en exceso del estándar para agua potable

Recientemente, nuestro sistema de agua excedió un estándar de contaminante para agua potable. Aunque esto no es una emergencia, como nuestros clientes, ustedes tienen el derecho a saber lo que deberían hacer, lo que pasó, y lo que estamos haciendo para corregir esta situación.

Hacemos monitoreo rutinario para detectar contaminantes en el agua potable. Los resultados de los análisis del agua que recibimos el 4th Quarter 2025 muestran que el nivel de 1,2,3-Tricloropropano (1,2,3- TCP) es de 0.0000058 nanograms por litro. Este nivel excede el estándar o MCL (Nivel Máximo de Contaminantes), el cual es 0.000005 miligramos por litro (5 nanograms por litro, o 5 partes por trillón estadounidense).

¿Qué es lo que debo hacer?

- **Usted no necesita usar una fuente alternativa de agua (por ejemplo, agua embotellada)**
- Esto no es una emergencia. Si lo hubiera sido, le habrían notificado de inmediato. No obstante, *algunas personas que por muchos años beben agua que contiene 1,2,3-TCP en exceso del nivel máximo establecido para contaminantes, pueden tener un mayor riesgo de contraer cáncer.*
- Si tiene otros problemas de salud relacionados al consumo de esta agua, debería consultar a su médico.

¿Qué pasó? ¿Qué se está haciendo al respecto?

Well B-Clay Street produce agua con 123 TCP por encima del nivel máximo de contaminantes. Nuestra firma de ingeniería ha presentado una solicitud de financiamiento al estado para un pozo de reemplazo.

(Describe corrective action). Anticipamos arreglar el problema dentro de (estimated time frame). Hasta que nuestro sistema de agua reciba fondos para el proyecto propuesto, estamos limitando el uso de pozo B-Clay Street Well.

Para más información, puede contactar a Rachel Garcia, General Manager al (661) 849-2663 o en P.O. Box 10148, Earlimart, CA 93219.

Por favor comparta esta información con todas las demás personas que tomen de esta agua, especialmente aquellos que no hayan recibido este aviso directamente (por ejemplo, las personas en apartamentos, asilos, escuelas, y negocios). Puede hacerlo poniendo este aviso en un lugar público o distribuyendo copias en persona o por correo.

Requisitos de Notificación Secundaria

Al recibir la notificación de alguien que opere un sistema de agua público, se tiene que dar la siguiente notificación dentro de 10 días conforme a la Sección 116450(g) del Código de Salud y Seguridad:

- ESCUELAS: Tienen que notificar a los empleados de la escuela, estudiantes, y a los padres (si los estudiantes son menores).
- DUEÑOS O GERENTES DE PROPIEDAD PARA ALQUILER RESIDENCIAL (incluyendo asilos e instituciones de cuidado): Tienen que notificar a sus inquilinos.
- DUEÑOS DE PROPIEDAD DE NEGOCIOS, GERENTES, U OPERADORES: Tienen que notificar a los empleados de los negocios situados en la propiedad.

Este aviso es enviado por Earlimart Public Utility District.

Núm. de Identificación Estatal del Sistema de Agua: 5410021

Fecha de distribución: 1/2/2026